

HEATLOK® HFO HIGH LIFT SAFETY DATA SHEET - B-SIDE

SECTION 1: PRODUCT & COMPANY INFORMATION

Supplier / Manufacturer: **Huntsman Building Solutions**

3315 E. Division Street, Arlington, TX 76011 Phone: 817-640-4900 / Fax: 817-633-2000

E-mail: info@huntsmanbuilds.com

Website: www.huntsmanbildingsolutions.com

GHS Product Identifier: Heatlok® HFO High Lift B-side

Chemical Name: Polyurethane Resin / B-side

Product Type: Liquid

Identified Use: Component B of a Spray-Applied Polyurethane System

Emergency Telephone in USA: CHEMTREC 800-424-9300. In Canada: CANUTEC 613-996-6666 or *666 (cellular).

SECTION 2: HAZARDS IDENTIFICA	TION				
OSHA / HCS Status	This material is classified hazardous under OSHA Hazard Communication Standard (29 CFR 1910.1200).				
Classification of the Substance or Mixture	Leve irritation = ('ategory')				
GHS LABEL ELEMENTS INCLUD	ING PRECAUTIONARY STATEMENTS				
Hazard Pictograms					
Signal Word	DANGER				
Hazard Statements	H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H360 - May damage fertility or the unborn child. H373 - May cause damage through repeated exposure if swallowed.				
PRECAUTIONARY STATEMENT	S				
Prevention	P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P260 - Do not breathe dust/fume/gas/mist/vapors/spray. P270 - Do not eat, drink, or smoke when using this product. P280 - Wear eye or face protection P264 - Wash hands thoroughly after handling.				
Response	P308 + P313 - If exposed or concerned: Get medical attention. P302 + P352 + P362 + P364 - If on skin: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. P332 + P313 - If skin irritation occurs: Get medical attention. P305 + P351 + P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.				
Storage	P405 - Store locked up.				
Disposal	P501 - Dispose of contents and container in accordance with all local, regional, national, and international regulations.				
HAZARDS NOT OTHERWISE CL	ASSIFIED (HNOC)				
Physical Hazards Not Otherwise Classified (PHNOC)	None known.				
Health Hazards Not Otherwise Classified (HHNOC)	INOC) None known.				

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS			
Substance / Mixture	Mixture		
Chemical Name	Polyurethane Resin B-side		

CAS NUMBER / OTHER IDENTIFIERS				
CAS Number Not applicable.				
Product Code Heatlok® HFO High Lift Summer, Heatlok® HFO High		Lift Winter		
INGREDIENTS		CAS#	%	
Tris (2-chloro-1-methylethyl) phosphate		13674-84-5	≥1 - <10	
Triethyl phosphate		78-40-0	≥1 - <5	
Ethanediol		107-21-1	≥1 - <3	
2,2 -Oxibisethanol		111-46-6	≥1 - <3	
1,1,3,3-Tetramethylguanidine		80-70-6	≥1 - <2	
Dibutylbis(dodecylthio)stannane		1185-81-5	≥0.1 - <5	

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: FIRST AID MEASURES					
DESCRIPTION OF NECESSARY FIRST AID MEASURES					
Eye Contact	nmediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and emove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention.				
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.				
Skin Contact	Flush contaminated skin with plenty of water. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 20 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.				
Ingestion	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person.				
MOST IMPORTANT SYMPTOMS	/ EFFECTS, ACUTE AND DELAYED				
POTENTIAL ACUTE HEALTH EF	FECTS				
Eye Contact	Causes serious eye irritation.				
Inhalation	No known significant effects or critical hazards.				
Skin Contact	Causes skin irritation. May cause an allergic skin reaction.				
Ingestion No known significant effects or critical hazards.					
OVER-EXPOSURE SIGNS / SYM	PTOMS				
Eye Contact	Adverse symptoms may include the following: pain or irritation, watering, redness.				
Inhalation	Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations.				
Skin Contact	Adverse symptoms may include the following: irritation, redness, reduced fetal weight, increase in fetal deaths, skeletal malformations.				
Ingestion	Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations.				
INDICATION OF IMMEDIATE ME	DICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY				
Notes to Physician	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.				
Specific Treatments	No specific treatment.				
Protection of First-aiders No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.					
See toxicological information (Section 11)					
-					

SECTION 5: FIRE FIGHTING MEASURES					
Suitable Extinguishing Media	Use an extinguishing agent suitable for the surrounding fire.				
Unsuitable Extinguishing Media	None known.				
Specific Hazards Arising from the Chemical	Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.				
Hazardous Thermal Decomposition Products	Thermal decomposition products may include the following materials: carbon dioxide, carbon monoxide, nitrogen oxides, halogenated compounds, traces of ammonia, oxides of phosphorus, hydrogen chloride gas, aldehydes and ketones, low molecular weight organic products, tin oxides, noxious and toxic fumes.				
Special Protective Actions for Fire Fighters	No special measures are required.				
Special Protective Equipment for Fire Fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.				

SECTION 6: ACCIDENTAL RELEASE MEASURES					
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES					
For Non-emergency Personnel No action shall be taken involving any personal risk or without suitable training. Keep unnecessary unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breath or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate appropriate personal protective equipment.					
For Emergency Responders	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".				
Environmental Precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.				
METHODS AND MATERIALS FO	R CONTAINMENT AND CLEANING UP				
Spill	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.				

SECTION 7: HANDLING & STORAGE						
PRECAUTIONS FOR SAFE HAND	PRECAUTIONS FOR SAFE HANDLING					
Storage Temperature 59 - 77°F (15 - 25°C)						
Storage Life	6 months					
Protective Measures	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.					
Advice on General Occupational Hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.					
Conditions for Safe Storage Including any Incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.					

SECTION 8: EXPOSURE CONTROL / PERSONAL PROTECTION		
CONTROL PARAMETERS - UNITED STATES		
OCCUPATIONAL EXPOSURE LIMITS		
Ingredient Name	Exposure Limits	
Triethyl phosphate	AIHA WEEL (United States, 10/2011). TWA: 7.45 mg/m³ 8 hours.	
Ethanediol	ACGIH TLV (United States, 3/2015). C: 100 mg/m³ Form: Aerosol.	

2,2 -Oxibisethanol	AIHA WEEL (United States, 10/2011). TWA: 10 mg/m³ 8 hours.
Dibutylbis(dodecylthio) stannane	ACGIH TLV (United States, 3/2015). Absorbed through skin. TWA: 0.1 mg/m³, (as Sn) 8 hours. STEL: 0.2 mg/m³, (as Sn) 15 minutes. NIOSH REL (United States, 10/2013). Absorbed through skin. TWA: 0.1 mg/m³, (as Sn) 10 hours. OSHA PEL (United States, 2/2013). TWA: 0.1 mg/m³, (as Sn) 8 hours.

CONTROL PARAMETERS - CANADA

OCCUPATIONAL EXPOSURE LIMITS		TWA (8 HOURS)			STEL (15 MINS)			CEILING			
Ingredient Name	List Name	ppm	mg/m³	other	ppm	mg/m³	other	ppm	mg/m³	other	notes
Triethyl phosphate	US AIHA 10/2011	-	7.45	-	-	-	-	-	-	-	
	US ACGIH 3/2015	-	-	-	-	-	-	-	100	-	(a)
	AB 4/2009	-	-	-	-	-	-	-	100	-	
		-	-	-	-	-	-	-	100	-	(a)
Ethanediol	BC 5/2015	-	10	-	-	20	-	-	-	-	(b)
		-	-	-	-	-	-	50	-	-	(c)
	ON 7/2015	-	-	-	-	-	-	-	100	-	(a)
	QC 1/2014	-	-	-	50	127	-	-	-	-	(d)
2,2 -Oxibisethanol	US AIHA 10/2011	-	10	-	-	-	-	-	_	-	

(3) Skin sensitization. Form: (a) Aerosol. (b) Particulate. (c) Vapor. (d) Vapor and Mist. (e) Mist. (f) Respirable Mist. (g) Inhalable Fraction.

	Appropriate Engineering Controls	If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
- 1	Environmental Exposure Controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

INDIVIDUAL PROTECTION MEASURES

Hygiene Measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.				
Eye/Face Protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.				
Hand Protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.				
Body Protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.				
Other Skin Protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.				
Respiratory Protection	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.				

SECTION 9: PHYSICAL & CHEMICAL PROPERTIES				
Physical State	Liquid			
Color	Blue			
Odor	Not available			
Odor Threshold	Not available			
рН	Not available			
Melting Point	Not available			
Boiling Point	Not available			
Flash Point	Closed cup: > 200°F (93°C) (Pensky-Martens)			
Evaporation Rate	Not available			
Flammability (solid, gas)	Not available			

Lower and Upper Explosive (flammable) Limits	Not available
Vapor Pressure	Not available
Vapor Density	Not available
Specific Gravity @ 77°F (25°C)	1.17 - 1.21
Solubility	Moderately soluble in water
Partition Coefficient: N-Octanol/Water	Not available
Auto-Ignition Temperature	Not available
Decomposition Temperature	Not available
Viscosity @ 77°F (25°C)	Not available
Volatility	Not available

SECTION 10: STABILITY & REACTIVITY					
Reactivity	No specific test data related to reactivity available for this product or its ingredients.				
Chemical Stability	The product is stable.				
Possibility of Hazardous Reactions	Under normal conditions of storage and use, hazardous reactions will not occur.				
Conditions to Avoid	Avoid exposure to moisture and high temperatures to protect product quality.				
Incompatible Materials	Reactive or incompatible with the following materials: oxidizing materials. Avoid unintended contact with isocyanates.				
Hazardous Decomposition Products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.				

End		Species	Result		Exposure
LC5	and mists	Rat	17.8 mg/l		1 hour
LC5	and mists	Rat	5 mg/l	5 mg/l	
LD5		Rabbit	1230 mg/kg	1230 mg/kg	
LD5		Rat	1500 mg/kg	1500 mg/kg	
LD5		Rat	1165 mg/kg		-
LD5		Rat	4700 mg/k	g	-
LD5		Rabbit	11890 mg/k	g	-
LD50 Ora		Rat	12000 mg/	12000 mg/kg	
LD5		Rat	> 2000 mg/kg		-
LD5		Rabbit	1000 - 2000 mg/kg		-
		<u> </u>			
Resi		Species	Score	Exposure	Observation
Eye	nt	Rabbit	-	100 mg	-
Eye		Rabbit	-	24 h 500 mg	-
Eye		Rabbit	-	1 h 100 mg	-
Eye	nt	Rabbit	-	6 h 1440 mg	-
Skin		Rabbit	-	555 mg	-
Eye		Rabbit	-	50 mg	-
Skin		Human	-	72 h 112 mg Intermittent	-
Skin		Rabbit	-	500 mg	-
					- Intermittent

3315 E. Division Street, Arlington, TX 76011 Phone (817) 640-4900, Fax (817) 633-2000 Info@huntsmanbuilds.com, www.huntsmanbuildingsolutions.com

MUTAGENICITY

There is no data available.

CARCINOGENICITY								
CLASSIFICATION								
Product/Ingredient	OSHA IARC NTP ACGIH EPA N					NIOSH		
Ethanediol	-	-	-	A4	-	None		
REPRODUCTIVE TOXICITY	REPRODUCTIVE TOXICITY							
There is no data available.								
TERATOGENICITY								
May damage fertility or the unbo	orn child.							
SPECIFIC TARGET ORGAN TOX	ICITY (SINGLE EXF	OSURE)						
There is no data available.								
SPECIFIC TARGET ORGAN TOX	ICITY (REPEATED	EXPOSURE)						
Product/Ingredient	Category		Route of Exposur	е	Target Organs			
Dibutylbis(dodecylthio) stannane	Category 2		Not determined		Kidney			
ASPIRATION HAZARD			•					
There is no data available.								
INFORMATION ON THE LIKELY	ROUTES OF EXPO	SURE						
Dermal contact. Eye contact. Inh	alation. Ingestion.							
POTENTIAL ACUTE HEALTH EF	FECTS							
Eye Contact	Causes serious ey	Causes serious eye irritation.						
Inhalation	No known signific	ant effects or criti	cal hazards.					
Skin Contact	Causes skin irritat	Causes skin irritation. May cause an allergic skin reaction.						
Ingestion	No known significant effects or critical hazards.							
SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS								
ye Contact Adverse symptoms may include the following: pain or irritation, watering, redness.								
Inhalation	Adverse symptor malformations.	Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations.						
Skin Contact		Adverse symptoms may include the following: irritation, redness, reduced fetal weight, increase in fetal deaths, skeletal malformations.						
Ingestion	Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations.							
DELAYED AND IMMEDIATE EFF	ECTS AND ALSO	CHRONIC EFFECT	S FROM SHORT AN	ND LONG TERM EX	XPOSURE			
SHORT TERM EXPOSURE								
Potential Immediate Effects	No known signific	ant effects or criti	cal hazards.					
Potential Delayed Effects	No known signific	ant effects or criti	cal hazards.					
LONG TERM EXPOSURE								
Potential Immediate Effects	No known signific	ant effects or criti	cal hazards.					
Potential Delayed Effects	tential Delayed Effects No known significant effects or critical hazards.							
POTENTIAL CHRONIC HEALTH EFFECTS								
General	No known significant effects or critical hazards.							
Carcinogenicity	No known significant effects or critical hazards.							
Mutagenicity	No known signific	ant effects or criti	cal hazards.					
Teratogenicity	May damage the	unborn child.						
Developmental Effects	No known significant effects or critical hazards.							
Fertility Effects	lity Effects May damage fertility.							
NUMERICAL MEASURES OF TO	XICITY - ACUTE TO	DXICITY ESTIMATI	ES					
There is no data available.								

SECTION 12: ECOLOGICAL INFOR	MATION					
TOXICITY						
Product / Ingredient Name	Result		Species		Exposure	
Triethyl phosphate	Acute LC50 100 mg/l Fresh water			Juvenile ng)	96 hours	
	Acute LC50 100000 μg/l Marine wa	ter	Crustaceans - Crangon crang	gon - Adult	48 hours	
Ethanediol	Acute LC50 10000000 μg/l Fresh v	vater	Daphnia - Daphnia magna		48 hours	
	Acute LC50 8050000 μg/l Fresh wa	ater	Fish - Pimephales promelas		96 hours	
2,2 -Oxibisethanol	Acute LC50 32000 ppm Fresh water	er	Fish - Pimephales promelas		96 hours	
PERSISTENCE AND DEGRADA	BILITY					
Product / Ingredient Name	Aquatic Half-life Photolysis Biodegradab			ility		
Ethanediol				Readily		
BIOACCUMULATIVE POTENTIA	AL .					
Product / Ingredient Name	LogPow BCF Potential			Potential		
Tris (2-chloro-1-methylethyl) phosphate	2.68 0.8 - 2.8 Low			Low		
Triethyl phosphate	1.11 < 1.3 Low			Low		
Ethanediol	-1.36	-		Low		
2,2 -Oxibisethanol	-1.98	100		Low		
1,1,3,3-Tetramethylguanidine	0.41 - Low					
MOBILITY IN SOIL						
Soil/Water Partition Coefficient (Koc) There is no data available.						
Other Adverse Effects	No known significant effects of critical hazards.					

SECTION 13: DISPOSAL CONSIDERATION					
Disposal Methods	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.				

SECTION 14: TRANSPORTATION INFORMATION					
рот					
UN Number	Not regulated				
UN Proper Shipping Name	-				
Transport Hazard Class(es)	-				
Packing Group	-				
Environmental Hazard	No				
Additional Information	-				
TDG					
UN Number	Not regulated				
UN Proper Shipping Name	-				
Transport Hazard Class(es)	-				
Packing Group	-				
Environmental Hazard	No				
Additional Information	-				

IMDG	
UN Number	Not regulated
UN Proper Shipping Name	-
Transport Hazard Class(es)	-
Packing Group	-
Environmental Hazard	No
Additional Information	-
IATA	
UN Number	Not regulated
UN Proper Shipping Name	-
Transport Hazard Class(es)	-
Packing Group	-
Environmental Hazard	No
Additional Information	-
AERG: Not applicable.	
Special Precautions for User	Transport within user's premises: Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code	Not available

SECTION 15: REGULATORY INFORMATION					
UNITED STATES					
U.S. Federal Regulations	TSCA 8(a) PAIR: 2,2-Dimethylpropan-1-ol, tribromo derivative; Triethyl phosphate; Octamethylcyclotetrasiloxane. TSCA 8(c) calls for record of SAR: Triethyl phosphate. United States inventory (TSCA 8b): All components are listed or exempted.				
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	Listed				
Clean Air Act Section 602 Class I Substances	Not listed				
Clean Air Act Section 602 Class II Substances	Not listed				
DEA List I Chemicals (Precursor Chemicals)	Not listed				
DEA List II Chemicals (Essential Chemicals)	Not listed				
SARA 302/304	No products were found				
SARA 304 RQ	Not applicable				
SARA 311/312					

CLASSIFICATION

Immediate (acute) health hazard.

COMPOSITION / INFORMATION ON INGREDIENTS

•						
Product / Ingredient Name	%	Fire Hazard	Sudden Release of Pressure	Reactive	Immediate (acute) Health Hazard	Delayed (chronic) Health Hazard
Tris (2-chloro-1-methylethyl) phosphate	≥1 - <10	No	No	No	Yes	No
Triethyl phosphate	≥1 - <5	No	No	No	Yes	No
Ethanediol	≥1 - <3	No	No	No	Yes	No
2,2 -Oxibisethanol	≥1 - <3	No	No	No	Yes	No
1,1,3,3-Tetramethylguanidine	≥1 - <2	Yes	No	No	Yes	No
Dibutylbis(dodecylthio) stannane	≥0.1 - <5	No	No	No	Yes	Yes

SARA 313						
Product Name CAS # %						
Form R - Reporting Requirements	Ethanediol	107-21-1	≥1 - <3			
Supplier Notification Ethanediol 107-21-1 ≥1 - <3						

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and

redistribution of the notice attached to copies of the SDS subsequently redistributed.		
STATE REGULATIONS		
Massachusetts	The following components are listed: Ethanediol.	
New York	The following components are listed: Ethanediol.	
New Jersey	The following components are listed: Ethanediol.	
Pennsylvania	The following components are listed: Ethanediol; 2,2' -Oxybisethanol.	
CANADA		
CANADIAN LISTS		
Canadian NPRI	The following components are listed: Ethanediol.	
CEPA Toxic Substances	None of the components are listed.	
Canada Inventory	All components are listed or exempted.	

SECTION 16: OTHER INFORMATION	
Prepared By	Demilec Inc Technical Department
Preparation Date (Y/M/D)	2018-4-11
Current Issue Date (Y/M/D)	2018-4-11
ABBREVIATIONS KEY	
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
GHS	Globally Harmonized System of Classification and Labelling of Chemicals
IATA	International Air Transport Association
IBC	Intermediate Bulk Container
IMDG	International Maritime Dangerous Goods
LogPow	Logarithm of the octanol/water partition coefficient
MARPOL 73/78	International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
UN	United Nations

Notice to Reader: To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.