1	I. PRODUCT AND COMPANY I	DENTIFICATION	
Product Name: Company Name:	Jasco Pure Gum Spirits Turpentine W. M. Barr 2105 Channel Avenue Memphis, TN 38113	<b>Phone Number:</b> (901)775-0100	
Web site address:	www.wmbarr.com		
Emergency Contact: Information:	3E 24 Hour Emergency Contact W.M. Barr Customer Service	(800)451-8346 (800)398-3892	
Intended Use:	Paint, stain, and varnish thinning.		
Product Code:	QJGT160		
Additional Information	This product is regulated by the United States Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to using the product.		

# 2. HAZARDS IDENTIFICATION

Flammable Liquids, Category 3 Acute Toxicity: Inhalation, Category 4 Acute Toxicity: Skin, Category 4 Skin Corrosion/Irritation, Category 2 Serious Eye Damage/Eye Irritation, Category 2A Skin Sensitization, Category 1A Acute Toxicity: Oral, Category 4 Specific Target Organ Toxicity (single exposure), Category 3 Aspiration Toxicity, Category 1



GHS Signal Word:	Danger
GHS Hazard Phrases:	H226: Flammable liquid and vapor.
	H302: Harmful if swallowed.
	H304: May be fatal if swallowed and enters airways.
	H312: Harmful in contact with skin.
	H315: Causes skin irritation.
	H317: May cause an allergic skin reaction.
	H319: Causes serious eye irritation.
	H332: Harmful if inhaled.
GHS Precaution Phrases:	P210: Keep away from heat/sparks/open flames/hot surfaces No smoking.
	P233: Keep container tightly closed.
	P240: Ground/bond container and receiving equipment.
	P241: Use explosion-proof electrical/ventilating/lighting equipment.
	P242: Use only non-sparking tools.
	P243: Take precautionary measures against static discharge.
	P261: Avoid breathing gas/mist/vapors/spray.
	P264: Wash hands thoroughly after handling.
	P270: Do not eat, drink or smoke when using this product.
	P271: Use only outdoors or in a well-ventilated area.
	P272: Contaminated work clothing should not be allowed out of the workplace.

	Supersedes Revision: 04/17/2015		
	P280: Wear protective gloves/protective clothing/eye protection/face protection. P235: Keep cool.		
GHS Response Phrases:	<ul> <li>P301+310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.</li> <li>P312: Call a POISON CENTER or doctor/physician if you feel unwell.</li> <li>P302+352: IF ON SKIN: Wash with plenty of soap and water.</li> <li>P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.</li> </ul>		
	<ul> <li>P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.</li> <li>P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> </ul>		
	P321: Specific treatment see label. P322: Specific measures see label. P330: Rinse mouth. P331: Do NOT induce vomiting.		
	<ul> <li>P332+313: If skin irritation occurs, get medical advice/attention.</li> <li>P333+313: If skin irritation or rash occurs, seek medical advice/attention.</li> <li>P337+313: If eye irritation persists, get medical advice/attention.</li> <li>P362+364: Take off contaminated clothing and wash it before reuse.</li> <li>P363: Wash contaminated clothing before reuse.</li> </ul>		
GHS Storage and Disposal Phrases:	<ul> <li>P370+378: In case of fire, use dry chemical powder to extinguish.</li> <li>P403+233: Store container tightly closed in well-ventilated place.</li> <li>P405: Store locked up.</li> <li>P501: Dispose of contents/container according to local, state and federal regulations.</li> </ul>		
Hazard Rating System:	HEALTH     *     2       FLAMMABILITY     3       REACTIVITY     Health       PPE     X		
HMIS:	NFPA: Special Hazard		
OSHA Regulatory Status:	This material is classified as hazardous under OSHA regulations.		
Potential Health Effects (Acute and Chronic):	INHALATION ACUTE EXPOSURE EFFECTS: May cause dizziness, headache, watering of the eyes, irritation of the respiratory tract, nausea, depression of the central nervous system, and serious irritation to the kidneys. Severe overexposure may cause unconsciousness.		
	SKIN CONTACT ACUTE EXPOSURE EFFECTS: This material is a skin irritant.		
	EYE CONTACT ACUTE EXPOSURE EFFECTS: This material is a severe eye irritant.		
	INGESTION ACUTE EXPOSURE EFFECTS: Harmful or fatal if swallowed. May cause nausea, vomiting, gastrointestinal irritation, and diarrhea.		
	CHRONIC EXPOSURE EFFECTS: Reports have associated repeated and prolonged overexposure to solvents with neurological and other physiological damage. May cause jaundice, bone marrow damage, liver damage, anemia, nausea, skin irritation, headache, dizziness, some loss of memory heart palpitations, and kidney damage, central pervous system damage		

of memory, heart palpitations, and kidney damage, central nervous system damage,

mental confusion, convulsions, coma, and death.

Medical Conditions Generally None known.

Page: 3 Printed: 02/22/2016 Revision: 02/12/2016 Supersedes Revision: 04/17/2015

### Aggravated By Exposure: 3. COMPOSITION/INFORMATION ON INGREDIENTS CAS # Hazardous Components (Chemical Name) Concentration (1S)-(-)-.alpha.-Pinene {Bicyclo[3.1.1]hept-2-ene, >70.0 % 7785-26-4 2,6,6-trimethyl-, (1S)-} 8006-64-2 Turpentine {Gumspirits} <30.0 % 4. FIRST AID MEASURES INHALATION: **Emergency and First Aid** Procedures: If user experiences breathing difficulty, move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention. SKIN CONTACT: Wash with soap and water. If irritation persists, get medical attention. EYE CONTACT: Flush eyes with water for at least 15 minutes. Get immediate medical attention. INGESTION: Do not induce vomiting. Immediately call your poison control center, hospital emergency room, or physician immediately for instructions. Drink large quantities of water to dilute substance. Never give anything by mouth to an unconscious person. Signs and Symptoms Of See Potential Health Effects. Exposure: 5. FIRE FIGHTING MEASURES IC 95.00 F Method Used: Closed Cup Flash Pt: LEL: No data. UEL: No data. Explosive Limits: Autoignition Pt: No data. Suitable Extinguishing Media: Use carbon dioxide, dry powder, or foam. Self-contained respiratory protection should be provided for fire fighters fighting fires in Fire Fighting Instructions: buildings or confined areas. Storage containers exposed to fire should be kept cool with water spray to prevent pressure build-up. Stay away from heads of containers that have been exposed to intense heat or flame. Flammable Properties and Danger! Flammable! Keep away from heat, sparks, flame, and all other sources of ignition. Do not smoke. Extinguish all flames and pilot lights, and turn off stoves, Hazards: heaters, electric motors and all other sources of ignition during use and until all vapors are gone. Beware of static electricity that may be generated by synthetic clothing and other sources. Material floats on water. Excessive temperatures and/or contact with air may cause decomposition or oxidation.

Keep unnecessary people away; isolate hazard area and deny entry. Stay upwind, out

of low areas, and ventilate closed spaces before entering. Shut of ignition sources; keep

6. ACCIDENTAL RELEASE MEASURES

flares, smoking or flames out of hazard area.

Steps To Be Taken In Case

Material Is Released Or

Spilled:

#### Small Spills: take up liquid with sand, earth or other noncombustible absorbent material and place in a plastic container where applicable. Large Spills: dike far ahead of spill for later disposal. 7. HANDLING AND STORAGE Read carefully all cautions and directions on product label before use. Since empty Precautions To Be Taken in Handling: container retains residue, follow all label warnings even after container is empty. Dispose of empty container according to all regulations. Do not reuse this container. Keep container tightly closed when not in use. Store in a cool, dry place. Do not store Precautions To Be Taken in near flames or at elevated temperatures. Storing: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION **OSHA TWA** CAS # Partial Chemical Name **ACGIH TWA Other Limits** (1S)-(-)-.alpha.-Pinene No data. No data. No data. 7785-26-4 {Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-, (1S)-} PEL: 100 ppm TLV: 20 ppm No data. Turpentine {Gumspirits} 8006-64-2 For occasional consumer use - Use with adequate ventilation to prevent a build-up of **Respiratory Equipment** (Specify Type): vapors in confined areas. Open windows or position fans to provide cross ventilation. If a mild to strong odor is noticeable, ventilation is not adequate. For OSHA controlled workplace and other regular users - Use only with adequate ventilation under engineered air control systems designed to prevent exceeding appropriate TLVs. For occasional use, where engineered air control is not feasible, use properly maintained and properly fitted NIOSH approved respirators. A dust mask does not provide protection against vapors. Eye Protection: Safety glasses, chemical goggles, or face shields are recommended to safeguard against potential eye contact, irritation, or injury. Contact lenses should not be worn while working with chemicals. **Protective Gloves:** Wear impermeable gloves. Gloves contaminated with product should be discarded. Various application methods can dictate use of additional protective safety equipment, **Other Protective Clothing:** such as impermeable aprons, etc., to minimize exposure. Use only with adequate ventilation to prevent buildup of vapors. Do not use in areas **Engineering Controls** (Ventilation etc.): where vapors can accumulate and concentrate, such as basements, bathrooms or small enclosed areas. Whenever possible, use outdoors in an open air area. If using indoors open all windows and doors and maintain a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea or eye-watering -- STOP -- ventilation is inadequate. Leave area immediately and move to fresh air. Work/Hygienic/Maintenance Wash hands thoroughly after use and before eating, drinking, or smoking. Practices: **GHS** format Licensed to W.M. Barr and Company

Clothing that becomes soiled with product should be removed as soon as possible and laundered separately.

A source of clean water should be available in the work area for flushing of eyes and skin.

9.	PHYSICAL AND CHEMICAL PROPERTIES	
Physical States:	[]Gas [X]Liquid []Solid	
Appearance and Odor:	Colorless. Typical pine terpene.	
Melting Point:	No data.	
Boiling Point:	315.00 F - 350.00 F	
Autoignition Pt:	No data.	
Flash Pt:	95.00 F Method Used: Closed Cup	
Explosive Limits:	LEL: No data. UEL: No data.	
Specific Gravity (Water = 1):	0.865 at 25.0 C	
Vapor Pressure (vs. Air or	4 MM HG at 20.0 C	
mm Hg):		
Vapor Density (vs. Air = 1):	> 1	
Evaporation Rate:	No data.	
Solubility in Water:	No data.	
Solubility Notes:	Negligible	
Percent Volatile:	100.0 %	
	10. STABILITY AND REACTIVITY	
Stability:	Unstable [ ] Stable [ X ]	
Conditions To Avoid - Instability:	No data available.	
Incompatibility - Materials To Avoid:	Incompatible with strong oxidizing agents, strong bases, and strong acids	
Hazardous Decomposition or carbon monoxide and carbon dioxide Byproducts:		
Possibility of Hazardous Reactions:	Will occur [ ] Will not occur [ X ]	
Conditions To Avoid - Hazardous Reactions:	No data available.	

		11. TOXICOLOGI		ATION		
Toxicologica	Il Information:	See animal test results belo CAS# 8006-64-2: Acute toxicity, LC50, Inhala Result: Behavioral: Convulsions or Lungs, Thorax, or Respirati - Toxicology and Applied P 55802, Vol/p/yr: 10,8, 1967 Standard Draize Test, Skin Result: Behavioral: Hallucinations, Behavioral: Change in moto Behavioral: Change in moto Behavioral: Changes in psy - National Technical Inform	ation, Rat, 12.00 Gl effect on seizure th ion:Dyspnea. harmacology, Acad , Species: Rabbit, s distorted perception or activity (specific ychophysiological th	W/M3, 6 H. hreshold. demic Press, In 500.0 UL, Seve ons. assay). ests.	c., 1 E. First ere.	
CAS #	Hazardous Cor	nponents (Chemical Name)	NTP	IARC	ACGIH	OSHA
7785-26-4			e, n.a.	n.a.	n.a.	n.a.
8006-64-2	Turpentine {Gu	mspirits}	n.a.	n.a.	A4	n.a.
		12. ECOLOGICA	L INFORMA	TION		
General Ecol Information:		Related chemicals are know environment. 13. DISPOSAL O	ONSIDERAT	IONS	-	
Waste Dispo	sal Method:	Dispose in accordance with			al regulations	S.
		14. TRANSPOR		ΓΙΟΝ		
LAND TRANSPORT (US DOT DOT Proper Shipping Na DOT Hazard Class: UN/NA Number:				111		
Additional TransportThe supplier may apply one of the following exceptions: CombusInformation:Commodity, Limited Quantity, Viscous Liquid, Does Not Sustain as allowed under 49CFR Hazmat Regulations. Please consult 4 ensure that subsequent shipments comply with these exceptions			ain Combus ult 49CFR Su	tion, or others,		
		15. REGULATO	RY INFORMA	TION		
-	-	ments and Reauthorization Act	-			
CAS #		nponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ		3 (TRI)
7785-26-4	26-4 (1S)-(-)alphaPinene {Bicyclo[3.1.1]hept-2-ene, N 2,6,6-trimethyl-, (1S)-}			No	No	
8006-64-2 Turpentine {Gumspirits}		No	No	No		

This material meets the EPA [X] Yes [] No Acute (immediate) Health Hazard

Page: 7 Printed: 02/22/2016 Revision: 02/12/2016 Supersedes Revision: 04/17/2015

'Hazard Cate for SARA Titl 311/312 as in		[X] Yes [ ] No	Fire Hazard Sudden Rel	ease of Pressure Hazard
CAS #	Hazardous Com	ponents (Chemica	al Name)	Other US EPA or State Lists
7785-26-4	(1S)-(-)alphaF 2,6,6-trimethyl-,	Pinene {Bicyclo[3.1. (1S)-}	.1]hept-2-ene,	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
8006-64-2	Turpentine {Gur	nspirits}		CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No

## **16. OTHER INFORMATION**

Revision Date:	02/12/2016	
Preparer Name:	W.M. Barr EHS Dept (901)775-0100	
Additional Information Abour This Product:	t No data available.	
Company Policy or Disclaimer:	The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.	